

### Calcium chloride aftercare form-

- Your dog\_\_\_ cat\_\_\_ has had an intratesticular injection of calcium chloride. He has been tattooed with a green mark to show that he has been altered.
- You should expect swelling in his scrotum that will last from ten days to two weeks following the injections, and this swelling may appear extreme. This is normal. After that time, the testicles will atrophy (shrink) and hormone levels are expected to be reduced to a level close to that of a surgically altered pet.
- Your pet should return to his normal diet immediately and should be comfortable moving, walking, etc. If you see an abscess or if your pet stops eating and/or becomes lethargic (acting very tired or sleeping more than usual), please call the number below.
- You will need to keep your dog from licking his scrotum. If he licks, wrap a folded towel around his neck long ways and use duct tape over it, so it becomes like a tire around his neck, to prevent him from licking, or you can purchase a plastic cone for him.
- Hormone reduction does not guarantee changes in behavior. Taking your dog for walks and teaching him to socialize properly with people and other animals is the best way to teach him good canine manners!
- Your pet should not be considered “sterile” for 30 days. If he mates with a female during this time, she may become pregnant.
- For the next 72 hours restrict your pets’ movement. Keep him on his normal diet.

For questions please call \_\_\_\_\_

### Calcium chloride aftercare form-

- Your dog\_\_\_ cat\_\_\_ has had an intratesticular injection of calcium chloride. He has been tattooed with a green mark to show that he has been altered.
- You should expect swelling in his scrotum that will last from ten days to two weeks following the injections, and this swelling may appear extreme. This is normal. After that time, the testicles will atrophy (shrink) and hormone levels are expected to be reduced to a level close to that of a surgically altered pet.
- Your pet should return to his normal diet immediately and should be comfortable moving, walking, etc. If you see an abscess or if your pet stops eating and/or becomes lethargic (acting very tired or sleeping more than usual), please call the number below.
- You will need to keep your dog from licking his scrotum. If he licks, wrap a folded towel around his neck long ways and use duct tape over it, so it becomes like a tire around his neck, to prevent him from licking, or you can purchase a plastic cone for him.
- Hormone reduction does not guarantee changes in behavior. Taking your dog for walks and teaching him to socialize properly with people and other animals is the best way to teach him good canine manners!
- Your pet should not be considered “sterile” for 30 days. If he mates with a female during this time, she may become pregnant.
- For the next 72 hours restrict your pets’ movement. Keep him on his normal diet.

For questions please call \_\_\_\_\_